

S70	2	(binary near file) same (transition\$3 with interface with display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 18:05
S71	0	("2003/0163531").URPN.	USPAT	OR	ON	2005/10/20 18:05
S72	320	(transition\$3 with interface with display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 18:05
S73	184	S72 and @ad < "20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 18:06
S74	3548	(binary near file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 18:06
S75	0	S73 and S74	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/20 18:06
S76	320	(transition\$3 with interface with display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 14:01
S77	320	S76	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 14:01
S78	184	S77 and @ad < "20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 14:23
S79	21	S78 and (email or e-mail or (electronic near mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 14:23
S80	10	S78 and (autonomous or (self near2 contain\$2) or (self near2 sufficient) or (format near2 (free or independen\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 14:23

S81	22909	("715").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/21 14:23
S82	16818	S81 and @ad < "20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 14:23
S83	3137	S82 and (email or e-mail or (electronic near mail))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 14:23
S84	293	S83 and (autonomous or (self near2 contain\$2) or (self near2 sufficient) or (format near2 (free or independen\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 14:44
S85	18	S84 and (binary near file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 14:44
S86	423	(mime) same (binary)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 20:01
S87	218	S86 and @ad < "20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 20:22
S88	29	S87 and (autonomous or (self near2 contain\$2) or (self near2 sufficient) or (format near2 (free or independen\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 20:21
S89	2408111	independent or self-contain and (autonomous or (self near2 contain\$2) or (self near2 sufficient) or (format near2 (free or independen\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 20:21
S90	73	(binary near (file or format)) same (autonomous or (self near2 contain\$2) or (self near2 sufficient) or (format near2 (free or independen\$2)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 20:22

S91	44	S90 and @ad < "20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/21 20:22
S92	2	(binary near file) same (transition\$3) same (interface near display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 10:39
S93	191	(transition\$3) same (interface near display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 10:40
S94	2	S93 and (binary near file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 10:40
S95	41551	(transition\$3) same (interface or display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 10:40
S96	132	S95 and (binary near file)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 10:40
S97	77	S96 and @ad < "20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 13:56
S98	9	((self near (contain\$2 or sufficient)) or (format near (independen\$2 or free))) and S97	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 13:58
S99	22961	("715").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 13:56
S10 0	0	("I5and(transition\$3same(stateorla youtorgraphicalorinterface)))".PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/28 13:57

S10 1	1304	S99 and (transition\$3 same (state or layout or graphical or interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 13:58
S10 2	960	S101 and @ad < "20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:19
S10 3	198	S102 and binary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 13:58
S10 4	40	((self near (contain\$2 or sufficient)) or (format near (independen\$2 or free))) and S103	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:41
S10 5	512	(translat\$3 or transition\$3 or conver\$4) same (graphical near interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:40
S10 6	20	((self near (contain\$2 or sufficient)) or (format near (independen\$2 or free))) and S105	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:18
S10 7	15	S106 and @ad < "20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:42
S10 8	6627	(transition\$3) same ((graphical near interface) or format)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:41
S10 9	2371	(transition\$3) with ((graphical near interface) or format)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:41
S11 0	13765	(transition\$3) with ((graphical near interface) or format or display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:41

S11 1	350	((self near (contain\$2 or sufficient)) or (format near (independen\$2 or free))) and S110	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:42
S11 2	257	S111 and @ad < "20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:47
S11 3	12	S112 and (binary near (format or file))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:42
S11 4	122	S112 and binary	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/28 15:47
S11 5	755	(binary near format) same (interface or (graphical near interface) or display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 14:24
S11 6	561	S115 and @ad < "20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 14:40
S11 7	73	S116 and (transition\$3 same (display or interface or (display near interface) or states))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 14:44
S11 8	38	S116 and (transition\$3 same (display or interface or (display near interface)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 14:45
S11 9	561	S116 and (display or interface or (display near interface))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 14:45
S12 0	22961	("715").CLAS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/30 14:46

S12 1	0	("I35andI36").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/30 14:46
S12 2	31	S119 and S120	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 14:59
S12 3	20594	(transition\$3) with (display or interface)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 14:59
S12 4	14576	S123 and @ad < "20020201"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 15:00
S12 5	86	S124 and (binary near format)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 15:00
S12 6	29	S125 and ((self near (contained or sufficient)) or (format near independent))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/30 15:06